SIGNATURE 3100 PREMIUM HIGH MOISTURE ADHESIVE SAFETY DATA SHEET

CARPET TILE & LVT FLOORING

1. IDENTIFICATION

Signature 3100 Premium High Moisture Adhesive for Carpet Tile and LVT Resilient

Recommended use of the chemical and restriction on use: Moisture barrier adhesive for installation of flooring materials over approved subfloor -all types of resilient flooring including vinyl – LVT and Carpet Tile, rubber, fiberglass and polyolefin backed flooring.

Details of the supplier of the safety data sheet

Company: Signature Flooring 2222 South Hamilton Street Dalton, GA 30721 USA

Telephone number: (706) 270-5799

Emergency Telephone Number: (800) 809-7086

Other Means of Identification:

Modified Silane blend

2. HAZARDS IDENTIFICATION

According to regulation 2012 OSHA Hazard Communication Standard: 29 CFR Part 1910.1200

Classification of the Product:

No need for classification according to GHS criteria for this product.

Label Elements

This product does not require a hazard-warning label in accordance with GHS criteria.

Hazards Not Otherwise Classified

None known if used according to instructions. Irritation may occur when in contact with eyes and skin.

<u>Labeling of special preparations (GHS):</u> None required

According to Regulation 1994 OSHA Hazard Communication Standard : 29 CFR Part 1910.1200

Emergency Overview

Caution:

May cause skin irritation if not removed after skin contact. Use with use with local exhaust ventilation.



Use protective equipment for eyes, skin protection.

3. COMPOSITION / INFORMATION ON INGREDIENTS

According to Regulation 1994 OSHA Hazard Communication Standard: 29 CFR Part 1910.1200

This product does not contain any components classified as hazardous under the referenced regulation.

According to Regulation 1994 OSHA Hazard Communication Standard : 29 CFR Part 1910.1200

CAS number	<u>Content</u>	Chemical Name
Trade Secret	35 - 55	Silylated Polyurethane Resin
Trade Secret	1-5	Plasticizer
1317-65-3	30-40	Calcium carbonate
Trade Secret	1-5	Additives
25322-69-4	10-20	Polypropylene glycol

4. FIRST AID MEASURES

Description of First Aid measures

General Advice:

Upon contact, remove material from skin, eyes, and clothing. If irritation persists, seek medical attention.

If inhaled:

Remove individual to fresh air if needed.

If on Skin:

Wash with mild soap and water.

If in eves:

Open eyelids and flush with running water for at least 15 minutes.

If Swallowed:

Do not induce vomiting. Seek medical help immediately.

Most Important symptoms and effects, both acute and delayed

None expected due to non-classification of the product.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Symptomatic treatment

5. FIRE-FIGHTING MEASURES

Extinguishing Media



Use Water spray, foam, dry powder when needed.

Special hazards arising from the substance or mixture

Material is a mixture of organic compounds. Compounds of carbon may arise during burning. Advice for fire-fighters

Wear self-contained breathing apparatus and turn out gear. Use water to keep the containers cool.

Further Information: Dispose debris and contaminated clothing in accordance with regulations.

6. ACCIDENTAL RELEASE MEASURES

Further accidental release measures: Slip hazard when spilled.

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Avoid contact with skin and eyes.

Environmental Precautions

Do not release spilled material into natural waters.

Methods and material for containment and cleaning up

Remove material using absorbents. Scrape off excess and place in closed DOT approved containers for disposal.

7. HANDLING AND STORAGE PRECAUTIONS FOR SAFE HANDLING

Do not puncture. Keep out of the reach of children.

Conditions for safe storage, including any incompatibilities

Keep from freezing. Avoid extreme temperatures.

8. EXPOSURE CONTROL/ PERSONAL PROTECTION

Advice on system design: Maintain proper ventilation

Personal protective equipment:

Respiratory protection: NIOSH respirator if needed. Use local exhaust ventilation. Do not use closed air-circulating system.

Skin protection: chemical resistant gloves, apron, coveralls, and boots to prevent unnecessary contact.

Eve protection: safety glasses, goggles, or face shield

General safety and hygiene safety measures:

Wash hands and /or face before and after use. Launder contaminated clothing before re-use. Always use protective equipment to avoid direct contact.



9. PHYSICAL AND CHEMICAL PROPERTIES

Form: low viscosity liquid

Odor: mild

Odor threshold: no data

Color: off white

pH value: not applicable Melting point: not applicable

Boiling point: no data Flash point: not applicable Flammability: non- flammable

Lower Explosion Limit: not applicable **Upper Explosion Limit:** not applicable

Vapor Pressure: low **Density:** 8.40 - 8.70

Relative density: 1.01 – 1.04 grams / cm3

Vapor density: low

Partition Coefficient n-octanol /water (log Pow): no data

Self-ignition temperature: not applicable

Solubility in water: insoluble Miscibility in water: not miscible

Evaporation rate: low

Other information: Moisture cure product. Product will start curing in the presence of moisture.

VOC Content: = < 0.1 g/L

10. STABILITY AND REACTIVITY

Reactivity: Stable

Chemical stability: Stable

Possibility of hazardous reactions: None, product is stable.

Conditions to avoid: Extreme temperatures.

Incompatible materials: water. Product is a moisture curing material.

Hazardous decomposition products: None known.

11. TOXICOLOGICAL INFORMATION

No data available

Primary routes of exposure: respiratory, eyes, skin. Ingestion is not likely but might cause gastric disturbances.

Acute Toxicity / Effects

Acute Toxicity: may cause irritation upon contact.

Chronic Toxicity Effects

Repeated dose toxicity: no data available

Genetic toxicity: no data available Carcinogenicity: not carcinogenic

Reproductive Toxicity: no data available

Teratogenicity: no data available Experiences in humans: no data available



Other Information

12. ECOLOGICAL INFORMATION

No data available

13. DISPOSAL CONSIDERATIONS

Abide by all State, federal and local regulations

14. TRANSPORT INFORMATION

Proper Shipping name: Not applicable Proper Hazard Class: Not hazardous Hazard Code: None hazardous

Bill of Lading description:

Adhesives, NOI

15. REGULATORY INFORMATION

Federal Regulations

Registration status:

TSCA: Chemicals contained in the product are either listed or exempt in the U.S. EPA TSCA inventory list.

SARA Title III, Section 312 Hazard Class: None

EPA SARA Title III Section 312: None

State Regulations:

NFPA Hazard Codes:

Fire: 0 Reactivity: 0 Health: 1 Special:

HMIS Rating:

Flammability: 0 Physical Hazard: 0 Health: 1

16.OTHER INFORMATION

SDS prepared for: Signature Flooring SDS prepared on: February 28, 2020

Signature believes the data set forth herein is accurate as of the date hereof. Signature makes no warranty with respect hereto and expressly disclaims all liability of reliance thereon. All data is offered solely for consideration, investigation, and verification.

