



 Signature


TRELLIS II AND TERRANE
ENTRYWAY SYSTEMS



ENTRYWAY SYSTEMS ENGINEERED FOR HIGH-TRAFFIC PERFORMANCE

Signature Flooring brings decades of expertise in delivering high-performance, design-forward flooring solutions for hospitality, senior living, multifamily, and commercial environments. Our comprehensive product portfolio includes custom carpet, broadloom, carpet tile, rugs, entryway systems, and hard surface solutions — all developed to meet rigorous performance criteria, brand standards, and aesthetic objectives.

At the critical point of entry, Signature's Trellis II and Terrane Entryway Systems are engineered to perform under the most demanding conditions, protecting interior flooring surfaces from the damaging effects of tracked-in dirt, debris, and moisture. These high-traffic walk-off solutions help extend the life of surrounding flooring, reduce maintenance requirements, and support slip-resistance standards — contributing to safer, cleaner, and more cost-effective spaces.



TERRANE | 71 GREY | 21 GREEN




TRELLIS II AND TERRANE ENTRYWAY SYSTEMS

From grand hotel entrances to active senior living communities, bustling multifamily lobbies to high-use commercial thresholds — every environment benefits from a strategically designed walk-off system. Signature collaborates closely with design teams, ownership groups, and procurement professionals to recommend, specify, and deliver entryway solutions tailored to each project’s unique performance and design needs. With Trellis II and Terrane, your flooring investment begins with a solid foundation of protection, safety, and performance — right at the door.



COVER: TRELLIS II | 75 GRAPHITE | 15 NATURAL, TOP LEFT
TERRANE | 05 TAN | 77 SLATE, TOP RIGHT
TERRANE | 05 TAN | 30 CAYENNE, BOTTOM

TRELLIS II | 10 WALNUT | 20 CHARCOAL



TRELLIS II

- Nonwoven Needlefelt with multi-level patterned loop surface appearance
- Featuring 18 neutral to bright colorways
- Solid colors are 100% polypropylene, Tweed colors are 80% polypropylene and 20% polyester
- Contains 25% pre-consumer recycled content
- 37 oz per sq yd
- Total thickness is 3/8"
- Available in 13'2" width
- Custom sizes, along with custom logos, inserts and borders are available
- DB Duo Gel Backing with Non-Skid and Quad Back with Non-Skid is used for custom logos or insets
- Rubber edging border available in Black or Dark Brown, ADA approved
- Limited 5 Year Commercial Warranty



TRELLIS II | 20 CHARCOAL | 15 NATURAL

SIGNATUREFLOORING.COM



TRELLIS II | 20 CHARCOAL | 25 GRAY

[SIGNATUREFLOORING.COM](https://signatureflooring.com)



TRELLIS II | 25 GRAY | 38 NAVY

SIGNATUREFLOORING.COM



TRELLIS II | 40 AZURE | 20 CHARCOAL

TRELLIS II COLORWAYS



00 BLACK



10 WALNUT



13 BROWN




15 NATURAL



20 CHARCOAL



23W WHITE



23 FOREST



25 GRAY




29 CHOCOLATE



30 CAYENNE



33 RED



34 ORANGE




37 YELLOW




38 NAVY



40 AZURE



42 SPRUCE



44 BLUE



75 GRAPHITE

TERRANE

- Nonwoven Needlefelt with solid loop surface appearance
- Featuring 18 neutral to bright colorways
- Solid colors are Nonpattern Plush Pile
- 30 oz per sq yd
- Total thickness is 3/8"
- Available in 13'2" width
- Custom sizes, along with custom logos, inserts and borders are available
- DB Duo Gel Backing with Non-Skid and Quad Back with Non-Skid is used for custom logos or insets
- Rubber edging border available in Black or Dark Brown, ADA approved
- Limited 5 Year Commercial Warranty



TERRANE | 05 TAN | 77 SLATE



TERRANE | 00 BLACK | 27 GRANITE

SIGNATUREFLOORING.COM



TERRANE | 05 TAN | 30 CAYENNE

TERRANE COLORWAYS



00 BLACK



05 TAN



21 GREEN



23 WHITE



26 FOREST



27 GRANITE



30 CAYENNE



33 COBALT



34 BRIGHT BLUE



36 NAVY



42 RED




54 CHARCOAL



71 GREY



72 STONE



77 SLATE



82 BROWN



98 YELLOW



99 ORANGE

TRELLIS II TRELL2

TERRANE TERRN

SPECIFICATIONS

Construction	Nonwoven Needlefelt	Nonwoven Needlefelt
Pile Fiber	Solid colors: 100% Polypropylene Tweed colors: 80% Polypropylene, 20% Polyester	Nonpattern Plush Pile
Surface Appearance	Multi-Level Patterned Loop	Solid Loop
Pile Height.....	.3/16"	3/16"
Total Thickness3/8"	3/8"
Face Weight37 oz. per sq. yd.	30 oz. per sq. yd.
Total Weight59 oz. per sq. yd.	60 oz. per sq. yd.
Edging Options	Rubber Edging Border - available in Black or Dark Brown, ADA Approved	Rubber Edging Border - available in Black or Dark Brown, ADA Approved
Width.....	13'2" or custom sizes available, along with custom logos, inserts and borders, No minimum / No maximum	13'2" and custom sizes available, along with custom logos, inserts and borders No minimum / No maximum
Backing.....	DB Duo Gel Backing with Non-Skid Quad Back with Non-Skid is used for custom logo rugs	DB Duo Gel Backing with Non-Skid Quad Back with Non-Skid is used for custom logo rugs
Adhesive	Signature 3000 Premium Pressure Sensitive	Signature 3000 Premium Pressure Sensitive
Semipermanent Installation.....	For semipermanent installed entrance system must be at least 10ft. in length and maintain on a weekly basis	For semipermanent installed entrance system must be at least 10ft. in length and maintain on a weekly basis

TESTING

Dimensional Stability (ASTM D7570-09)	<0.3 dimensional change	<0.3 dimensional change
Electrostatic Propensity (EN1815).....	<0.2 kV	<0.2 kV (<0.3 kV Quad Back)
Electrostatic Resistance (ASTM F150)	Pass, for R.H. ≥ 50%	Pass, for R.H. ≥ 50%
Smoke Density (ASTM E662)	Pass, 253 Flaming; 447 Non-Flaming (Duo Gel) Pass, 469 Flaming; 491 Non-Flaming (Quad Back)	Pass, 241 Flaming; 429 Non-Flaming (Duo Gel) Pass, 437 Flaming; 512 Non-Flaming (Quad Back)
Surface Flammability (ASTM D2859)	Pass	Pass

COLOR FASTNESS

To Light (ISO 105 B02)	5	5
To Water (ISO 105 E01)	5	5
To Shampoo (ISO 105 C06)	5	5
To Rubbing (ISO 105 X12)	4 (Dry), 4 (Wet) (Duo Gel) 2 (Dry), 2.5 (Wet) (Quad Back)	2.5 (Dry), 4 (Wet) (Duo Gel) 2 (Dry), 3 (Wet) (Quad Back)

WARRANTIES

Limited 5 Year Commercial Warranty

Limited 5 Year Commercial Warranty

SUSTAINABILITY

Recycled Content..... 25% pre-consumer recycled content

N/A

Specifications are based on averages from manufacturing processes and may vary within normal industry tolerances. Material supply and / or manufacturing processes may necessitate specification changes without notice. Such variations do not affect product performance. This carpet is manufactured and recommended for floor covering use only. As in all quality carpet, colors are subject to dye lot variations. These patterns contain inherent characteristics, which may result in pattern run off, and/or pattern appearance variations at the seams or tile edges (darker or lighter pattern lines). These characteristics are inherent in the patterns and are not manufacturing defects. Not all patterns and colors may be aesthetically acceptable with certain installation methods. Signature cannot be responsible for seam aesthetics if the installation method deviates from the recommended layout for that style. Chair pads are recommended under office chairs with rollers to preserve appearance retention, avoid premature or accelerated wear, and act as a deterrent toward delamination. Special backing systems are available that do not require chair pads. Walk off mats are recommended at building entry ways to reduce soiling. For Warranties to apply, all adhesives and seam sealers must be approved by Signature.

For samples, specifications, or other information please contact your sales representative or visit signatureflooring.com

9/2025





 Signature

2222 S. HAMILTON STREET, DALTON, GA 30721 • SIGNATUREFLOORING.COM