



FINISHING TOUCHES

TPR RUBBER WALL BASE

ESSENTIALS

LINEATE 1

LINEATE 2

OBLIQUE

UNDERScore

 Signature

Signature

Signature is a flooring industry leader focused solely on helping our clients create extraordinary hospitality and senior living spaces. Fueled by a passion for our craft and a complete dedication to service, we are driven to achieve exceptional flooring solutions that expand each client's vision. Through creative styling, world-class custom design capabilities, a spirit of innovation and the highest quality of service, we provide an experience as inspiring and authentic as our flooring.

Signature has now added TPR rubber wall base to an extraordinary line of custom carpets, running-line soft and hard surface flooring - helping you to create that finishing touch to complete your space.


LINEATE 1
GP425



LINEATE 1 | D48

SPECIFICATIONS

Style..... Lineate 1 GP425
Construction TPR Rubber Wall Base
Thickness25"
Size 4.25" (101.6mm)




LINEATE 2
GP600



LINEATE 2 | A01

SPECIFICATIONS

Style..... Lineate 2 GP600
Construction TPR Rubber Wall Base
Thickness25"
Size 6" (152.4mm)




OBLIQUE
OB425



OBLIQUE | A01

SPECIFICATIONS

Style..... Oblique OB425
Construction TPR Rubber Wall Base
Thickness375"
Size 4.25" (152.4mm)




UNDERScore
UN425



UNDERScore | A01

SPECIFICATIONS


Style..... Underscore UN425
Construction TPR Rubber Wall Base
Thickness125" + 0.15" (1/8")
Size 4.25" (107.95mm)





SPECIFICATIONS

Style.....	Essentials ES400
Construction	TPR Rubber Wall Base
Thickness125" + 0.15" (1/8")
Sizes	2.5" (63.5mm), 4" (101.6mm) & 6" (152.4mm)






FINISHING TOUCHES

TPR RUBBER WALL BASE

Essentials	2.5", 4", 6"	All sizes for Essentials are available with toe.
Lineate 1	4.25"	
Lineate 2	6"	
Oblique	4.25"	
Underscore	4.25"	

All profiles are available in all colorways.

A01		A46	
A06		A51	
A09		A61	
A12		A72	
A15		A90	
A16		A92	
A21		A94	
A33		D48	
A40		D49	

For complete specifications or other technical information, visit signatureflooring.com.

FINISHING TOUCHES

ESSENTIALS ES400 | LINEATE 1 GP425 | LINEATE 2 GP600 | OBLIQUE OB425 | UNDERSCORE UN425

SPECIFICATIONS

Style	Essentials ES400	Lineate 1 GP425	Lineate 2 GP600	Oblique OB425	Underscore UN425
Construction	TPR Rubber Wall Base	TPR Rubber Wall Base	TPR Rubber Wall Base	TPR Rubber Wall Base	TPR Rubber Wall Base
Thickness	.125"	.25"	.25"	.375"	.125"
Sizes	2.5" (63.5mm) 4" (101.6mm) 6" (152.4mm) All sizes available with toe.	4.25" (107.95mm)	6" (152.4mm)	4.25" (107.95mm)	4.25" (107.95mm)
Packaging	120' linear feet per carton (36.576m)	72' linear feet per carton (14.63m) 12 lengths/carton	48' linear feet per carton (14.63m) 8 lengths/carton	48' linear feet per carton (14.63m) 8 lengths/carton	120' linear feet per carton (36.576m)
Roll or Length	120' (36.576m) continuous rolls only	6' (1.83m) length only	6' (1.83m) length only	6' (1.83m) length only	120' (36.576m) continuous rolls only

TESTING

Construction (ASTM F1861) Standard for Rubber Wall Base Type TP
 Dimensional Stability (ASTM F1861-01)..... Meets standard for wall base; no more than -0.007" (0.6%)
 Flame Spread (ASTM E84-91A)..... 50 (Class B), Smoke Density <450

SUSTAINABILITY

Recycled Content 10% pre-consumer
 DOP Free Phthalate Free
 DEHP Free..... On the STATE OF CALIFORNIA list of chemicals "known to cause cancer or reproductive toxicity"
 LEED May contribute to LEED credits
 MR 5.1 NC/CI Regional Materials: 20% manufactured regionally (Dalton, GA 30722)
 MR 5.2 CI Regional Materials: 10% extracted regionally
 MR 4.2 Recycled Content: 10% pre-consumer

MADE IN USA

WARRANTY

Limited 1 Year Commercial Rubber Wall Base Warranty

For samples or technical information please contact your sales representative or call Signature at 800-809-7086

07/2023



2222 S HAMILTON STREET, DALTON, GA 30721 • SIGNATUREFLOORING.COM



Signature

2222 S HAMILTON STREET, DALTON, GA 30721 • SIGNATUREFLOORING.COM

07/2023